



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SMALLPOX IN THE UNITED STATES—Continued.

Reports Received during week ended Nov. 1, 1912.

Places.	Date.	Cases.	Deaths.	Remarks.
Washington:				
Counties—				
Adams.....	Aug. 1-31.....	3		
Asotin.....	do.....	12		
Cheelan.....	do.....	5		
King.....	do.....	1		
Spokane.....	do.....	7		
Thurston.....	do.....	1		
Walla Walla.....	do.....	1		
Yakima.....	do.....	13		
Total.....		43		
Grand total.....		210	12	

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE FOR CERTAIN DISEASES,
CITIES OF THE UNITED STATES, FOR WEEK ENDED OCT. 12, 1912.

Cities.	Population United States Census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tubercu- losis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.												
Baltimore, Md.....	558,485	175	30	2	6		15		41	25	63	2
Boston, Mass.....	670,585	216	17	1	27		7		61	24	21	1
Chicago, Ill.....	2,185,283	612	150	25	23		105	4	83	55	27	3
Cleveland, Ohio.....	560,663	148	155	8	4		32	1	27	14	15	5
New York, N. Y.....	4,766,883	1,393	206	19	47		75	4	417	165	106	15
Philadelphia, Pa.....	1,549,008	439	41	6	36		45		69	49	33	2
Pittsburgh, Pa.....	533,905	189	62	4	45	3	28	3	29	13	13	1
St. Louis, Mo.....	687,029	229	56	5	6	1	11	1	33	18	26	5
Cities having from 300,000 to 500,000 inhabitants.												
Buffalo, N. Y.....	423,715	125	3	1	30		3		25	7	6	
Cincinnati, Ohio.....	364,463	119	28	3	13		11		22	14	7	
Detroit, Mich.....	465,766	158	29	7			2					
Los Angeles, Cal.....	319,198	96	3		2		6		30	15	19	3
Milwaukee, Wis.....	373,857	108	10	4	3		7		9	3	7	
Newark, N. J.....	347,469	65	19	1	6		7		44	6	7	
New Orleans, La.....	339,075	152	267	3	1		7		16	16	8	1
San Francisco, Cal.....	416,912	109	5	2			2		11	8	4	
Washington, D. C.....	331,069	111	14	3	3		1		27	13	26	2
Cities having from 200,000 to 300,000 inhabitants.												
Jersey City, N. J.....	267,779	77		1					11			
Kansas City, Mo.....	248,381	15	6				1		3	6	2	1
Providence, R. I.....	224,326	79	14	3	1		9		5	7	8	2
Seattle, Wash.....	237,194	39	6	1	3		3		4	1	2	
Cities having from 100,000 to 200,000 inhabitants.												
Bridgeport, Conn.....	102,054	25	1				5		4	1	3	1
Cambridge, Mass.....	104,839	26	3		2	1	1		5	8	1	
Columbus, Ohio.....	181,548	57	13				8	1	9	7	11	1
Dayton, Ohio.....	116,577	47	37	5			4			2		
Fall River, Mass.....	119,295	38	1	1			6	1	9		4	
Grand Rapids, Mich.....	112,571	31	9		2				1	2	22	
Lowell, Mass.....	106,294	31	3	1			20		2	1	7	
Nashville, Tenn.....	110,364	44	4	1			7		1	7	8	3
Oakland, Cal.....	150,174	45							4	4	3	
Omaha, Nebr.....	124,096	32	2				2		1	6	4	
Richmond, Va.....	127,628	48	11				21		3	4	5	1
Spokane, Wash.....	104,402		1				1				2	
Toledo, Ohio.....	168,497		20	3	3	1	6			3	7	3
Worcester, Mass.....	145,986	41	7	2			4		6	3	5	

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table for certain diseases, cities of the United States, for week ended Oct. 12, 1912—Continued.

Cities.	Population, United States Census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tubercu- losis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 inhabitants.												
Altoona, Pa.	52,127	20	5				1			2	4	2
Bayonne, N. J.	55,545	14	6		3		2		4	1	1	
Brockton, Mass.	56,878	19			1				2	1	1	
Camden, N. J.	94,638		15		1		1		5		1	
Duluth, Minn.	78,466	21	3				3					
Elizabeth, N. J.	73,409	18	1				2			1		1
Evansville, Ind.	69,647	24	20				6			1	2	
Fort Wayne, Ind.	63,933	19			1		1			2		2
Harrisburg, Pa.	64,186	16	11	2			4		4	1	6	
Hartford, Conn.	98,915	30	4				4		3	1	4	
Hoboken, N. J.	70,324		1				1		8		2	
Houston, Tex.	78,800	29	5				1			2		
Johnstown, Pa.	55,482	28	18	2					1	1	6	
Kansas City, Kans.	82,331		3				1				4	
Lawrence, Mass.	85,892	29	2	1	2	1	2		7	1	2	
Lynn, Mass.	89,336	22	3	1	2		2		5			
Manchester, N. H.	70,063	15	4	1	1		1		1	1		
Oklahoma City, Okla.	64,205	11	1							1	16	
Passaic, N. J.	54,773	23	2		3				2		1	
Pawtucket, R. I.	51,622	4		1						1		
Peoria, Ill.	66,950	17	7				2				1	
Reading, Pa.	96,071	24	3	1			6		5	1	9	1
Saginaw, Mich.	50,510	13	4		3		1		1	2	1	1
South Bend, Ind.	53,684	16	2				3				1	
Springfield, Ill.	51,678	14	6								5	
Springfield, Mass.	88,926	18	5		1				8	1	4	
Trenton, N. J.	96,815	35	4				2		5	2	4	
Wilkes-Barre, Pa.	67,105	12	1			1	3		2			
Wilmington, Del.	87,411	22										
Cities having from 25,000 to 50,000 inhabitants.												
Atlantic City, N. J.	46,150	9	1				2		3		4	
Auburn, N. Y.	34,668	16			2				2	1	3	
Aurora, Ill.	29,807	5										
Berkeley, Cal.	40,434	5	2						3			1
Binghamton, N. Y.	48,443	14			1				4		5	
Brookline, Mass.	27,792	4	1		2				1			
Chattanooga, Tenn.	44,604		1				2		1			
Chelsea, Mass.	32,452	11							4		1	
Chicopee, Mass.	25,401	7			1					1		
Danville, Ill.	27,871	6	1				8	1				
Elmira, N. Y.	37,176	6	1				1				2	1
El Paso, Tex.	39,279	24			1					7		
Everett, Mass.	33,484	5	2				2		1	1	3	2
Fitchburg, Mass.	37,826	10							2			
Haverhill, Mass.	44,115	22	3	1			2		2	3		
Kalamazoo, Mich.	39,437	12	1				2		2	1	4	1
Knoxville, Tenn.	36,346	7										
La Crosse, Wis.	30,417	6								1		
Lancaster, Pa.	47,227		4						3			
Lexington, Ky.	35,099	11	10				1		5	1	2	
Lynchburg, Va.	29,494	16	2				2		2	2	3	2
Malden, Mass.	44,404	16			1				1	1	2	
Montgomery, Ala.	38,136	18					2			2	3	
Newcastle, Pa.	36,280		7				1		4		2	
Newport, Ky.	30,309	10	5				4	1	1	1		
Newton, Mass.	39,806	10					2			1		
Niagara Falls, N. Y.	30,445	13	2	1	3		7			1		
Norristown, Pa.	27,875	7	1						19	2		
Orange, N. J.	29,630	9	4		1						13	1
Pasadena, Cal.	30,291											
Pittsfield, Mass.	32,121	11	5								2	
Portsmouth, Va.	33,190	9	5							1		
Racine, Wis.	38,002	7	1				1					
Roanoke, Va.	34,874	12	5				6			1	10	1
Rockford, Ill.	45,401	10	3				1				7	

¹ Two out of town.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table for certain diseases, cities of the United States, for week ended Oct. 12, 1912—Continued.

Cities.	Population, United States Census, 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tubercu- losis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 25,000 to 50,000 inhabitants—Con.												
Sacramento, Cal.	44,696	18	2						2	3		2
Salem, Mass.	43,697	14		1			1		3			1
San Diego, Cal.	39,578	3					1			3		1
South Omaha, Nebr.	26,259	6							1			
Superior, Wis.	40,384	6										
Taunton, Mass.	34,259	8	3									2
Waltham, Mass.	27,834	10	3							2		
West Hoboken, N. J.	35,403		1						1			2
Wheeling, W. Va.	41,641	7	21						2			1
Williamsport, Pa.	31,860	10										1
Wilmington, N. C.	25,748	15	2	1			1		1	1	6	2
York, Pa.	44,750		3		3						1	1
Zanesville, Ohio.	28,026	10	5				3				4	
Cities having less than 25,000 inhabitants.												
Alameda, Cal.	23,833	6			1							
Ann Arbor, Mich.	14,817	3										
Biddeford, Me.	17,079	7										
Braddock, Pa.	17,759				1				1		2	
Cambridge, Ohio.	11,327	3								2		2
Camden, S. C.							1				1	
Clinton, Mass.	13,075	4										
Columbus, Ga.	20,554	3										
Columbus, Ind.		2	2							1		
Concord, N. H.	21,497	8										1
Cumberland, Md.	21,839	10	1								5	
Dunkirk, N. Y.		6					2		1			1
Galesburg, Ill.	22,089	5							1			
Harrison, N. J.	14,498	3	1						1	1		
Homestead, Pa.	18,710	7	6	1			1		1			
Kearny, N. J.	18,659	1	1						1			
La Fayette, Ind.	20,081	8								2		
Logansport, Ind.		5					2				2	
Marinette, Wis.	14,610	3										
Marlboro, Mass.	14,479	3	4						1			
Massillon, Ohio	23,830	2	2									
Medford, Mass.	23,150	8								1		
Melrose, Mass.	15,715	6										
Moline, Ill.	24,190	4								2	1	
Montclair, N. J.	21,150	5					1				1	
Morristown, N. J.	12,507	6							2	1		
Nanticoke, Pa.	18,857	5										
Newburyport, Mass.	19,240	4										
North Adams, Mass.	22,019	4									1	
Northampton, Mass.	19,431	7							1	1		
Ottumwa, Iowa.	22,012	10									2	
Plainfield, N. J.	23,550	5	1									
Saratoga Springs, N. Y.		3										
South Bethlehem, Pa.		5			1				1		4	1
Steelton, Pa.	14,426	3	4	1					3	2		
Warren, Pa.	11,080	2			2		2					
Wilksburg, Pa.	18,594	6			2				1	1		

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).

INDIANA.—Month of August, 1912. Population 2,700,876. Total number of deaths from all causes 2,888, including diphtheria 24, measles 3, scarlet fever 3, tuberculosis 279, typhoid fever 71. Cases reported: Diphtheria 247 in 39 counties, scarlet fever 126 cases in